

voran[®]

machinery

Basket press 60K 100K



60K



100K RM1,5

Pressing fruit...

The best from the basket

- High yield
- Smooth-running stainless steel eccentric closure for pivoting round basket
- All parts coming into contact with fruit are produced from stainless steel, wood or plastic
- Simple operation
- Easy cleaning
- Maintenance-free hydraulic pump without suction valve or collar
- Automatic 380-bar overpressure valve (for 100K) and 320 bar (for 60K)
- Low-maintenance technology

Milling	Pressing	Pasteurising
		
RM series Masher	60K 100K	PA series



Optional: attached, pivoting centrifugal mill for direct basket filling

Pivoting basket for easy emptying

The press cylinder beneath it prevents any oil from coming into contact with the product.




Powerful, easy-to-operate eccentric basket closure

Scope of supply:
Press disc, insert sleeve, press sack and press inserts




Basket press 60K 100K

...and processing it further

60K



100K



Model	60K (RM1,5)	100K (RM1,5)
Rated throughput in kg/h	180	300
Motor power in kW (mill)	1.1/1.5	1.5/1.5
Press force in t	16	24
Electrical connection*	400 V/50 Hz (three-phase)	400 V/50 Hz (three-phase)
Plug	CEE 16 A	CEE 16 A
Length/width/height dimensions in mm (RM1,5)	1,100/600 (850)/1,720 (1,840)	1,180/800 (1,110)/1,900
Weight in kg (mill)	260 (30)	340 (30)
Diameter of the inserts in cm	38	48
Number of cloths	3	3
Design	Powder-coated steel	Powder-coated steel
Scope of supply (applies for both presses)	3 press inserts, 3 insert sleeves, press sack, press disc	

* Other mains voltages and designs on request

voran.at

voran business lines

machines

machine construction

plant construction

facades

How to find us



voran Maschinen GmbH

Production & Sales

Inn 7

A 4632 Pichl bei Wels

Austria | Europe

T +43(0)72 49 / 444-0

F +43(0)72 49 / 444-888

office@voran.at • www.voran.at

Service hotline

T +43(0)72 49 / 444-200

Folder ID 600001681